



## allure

arm and armless chairs in fixed and flexing back; fixed back tablet chairs also available

### DESIGN

by Richard Douglas Rose

### STANDARDS

Meets or exceeds ANSI/BIFMA X5.1 durability and safety standards. Upholstered Allure™ Chairs can pass CAL. 133 fire standards with "CA" option.

### CONSTRUCTION

**UPHOLSTERED SEAT & BACK:** Seat: Upholstered, 1.5" polyfoam cushion. Back: Upholstered, 1" polyfoam cushion.

**FRAME:** 7/8" x 14 gauge steel tube with two seat support braces of 3/4" diameter x 14 gauge steel tube.

**ARMS:** Molded, glass-filled nylon tapered on each end with spring steel tube connector. Arm finished with epoxy to match frame. Chairs specified with bright chrome will have gunmetal arms with specified inserts. Arm inserts are soft, molded textured plastic.

**GLIDES:** Non-abrasive, nylon plastic glides; color will coordinate with frame finish.

**END CAPS:** Nylon plastic; color will coordinate with frame finish.

**FLEX BACK POST:** Spring steel; finish will coordinate with frame.

**TABLETS:** 7/8" diameter 14 gauge steel tube frame. Three-ply construction with high-pressure laminate top surface, 5/8" thick high-density particle board core, and moisture-resistant backing and 3/4" bumper T-edge molding. Tablet surface available in seven colors with coordinating edge.


### STACKING

**UPHOLSTERED:** 4 floor/4 dolly (4 floor/4 dolly w/ arm) (4 floor/4 dolly w/ tablet)

### 4-WHEEL DOLLY

00005 (\$273)

OW 26" OD 28" OH 5.5" WT 31 lb



**CONSTRUCTION:** steel; swivel casters; black epoxy

see page 61 for dolly section