



elate

arm, armless and tablet chairs with contoured shell

DESIGN

by Elco Meyer

STANDARDS

Meets or exceeds ANSI/BIFMA X5.1 durability and safety standards.

CONSTRUCTION

THERMOPLASTIC SHELL: Textured thermoplastic

UPHOLSTERED SEAT & BACK: 1/2" polyfoam cushion on back and 3/4" on seat over 1/8" thick polypropylene.

FRAME: 1" diameter x 14 gauge tubular steel.

ARMS: Molded high-impact polypropylene plastic (Black only) or 1" diameter x 14 gauge tubular steel (matches frame).

GLIDES: Molded ABS; black only.

TABLETS: 5/8" diameter solid steel rod with 1/2" diameter solid steel rod support. Three-ply construction with high-pressure laminate top surface, 5/8" thick high-density particle board core, with moisture-resistant bottom backing. 3/4" bumper T-edge molding. Tablet surface available in seven colors with coordinating edge.

STACKING

THERMOPLASTIC: 8 floor/10 dolly (8 floor/10 dolly w/ arm) (3 floor/7 dolly w/ tablet)

UPHOLSTERED: 6 floor/8 dolly (6 floor/8 dolly w/ arm) (3 floor/7 dolly w/ tablet)

4-WHEEL DOLLY

00068 (\$454)

OW 23" OD 36" OH 37" WT 30 lb



CONSTRUCTION: steel; two swivel casters and two fixed casters; black epoxy

see page 61 for dolly section